


## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



( $n = 1, 3, 5, 7$ ) by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ ) by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



( $n = 1, 3, 5, 7$ ) by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




( $n = 1, 3, 5, 7$ )

by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.


## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$






## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$






## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$






## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$






## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$




$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.



## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{2 \nmid n}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave


$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin\left(\frac{n\pi x}{L}\right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.

## Fourier Series of Square Wave

$$f(x) = \frac{4}{\pi} \sum_{\substack{n=1 \\ n \text{ odd}}}^{\infty} \frac{1}{n} \sin \left( \frac{n\pi x}{L} \right).$$



$(n = 1, 3, 5, 7)$  by Seungwon Park, illustr. & computed with L<sup>A</sup>T<sub>E</sub>X.